

Krueger Product Weights

Single Duct Terminal Units

LMHS	Unit Weights (lbs.)				Hot Water Coil	
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Attenuator	1 Row	2 row
4,5,6	14	+4	+9	+10	+5	+6
7,8	16	+4	+9	+12	+5	+7
9,10	21	+4	+9	+16	+7	+9
12	26	+4	+9	+21	+9	+12
14	34	+4	+9	+24	+10	+15
16	38	+4	+9	+27	+12	+17
22	65	+4	+9	+30	+17	+25

LMHS-LC	Unit Weights (lbs.)				Hot Water Coil	
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Attenuator	1 Row	2 row
4,5,6	16	+4	+9	+12	+5	+7
7,8	21	+4	+9	+16	+7	+9
9,10	26	+4	+9	+21	+9	+12
12	34	+4	+9	+24	+10	+15
14	38	+4	+9	+27	+12	+17

Fan Powered Terminal Units

QFC	Unit Weights (lbs.)				Hot Water Coil	
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Electric Heat	1 Row	2 Row
2	70	+4	+9	+30	+19	+21
3	70	+4	+9	+30	+20	+22
4	85	+4	+9	+32	+22	+25
5	85	+4	+9	+32	+24	+28
6	100	+4	+9	+35	+25	+30
7	175	+4	+9	+40	+35	+43

QFV	Unit Weights (lbs.)				Hot Water Coil	
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Electric Heat	1 Row	2Row
2	114	+4	+9	+30	+19	+21
3	114	+4	+9	+30	+20	+22
4	115	+4	+9	+32	+22	+25
5	122	+4	+9	+32	+24	+28
6	123	+4	+9	+35	+25	+30
7	127	+4	+9	+40	+35	+43

KQFS	Unit Weights (lbs.)				Hot Water Coil	
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Electric Heat	1 Row	2 Row
2	185	+4	+9	+30	+9	+12
3	200	+4	+9	+30	+9	+12
4	200	+4	+9	+32	+9	+12
5	225	+4	+9	+32	+12	+17
6	250	+4	+9	+35	+12	+17
7	260	+4	+9	+40	+12	+17

KQFP	Unit Weights (lbs.)				Hot Water Coil	
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Electric Heat	1 Row	2 Row
2	185	+4	+9	+30	+9	+12
3	200	+4	+9	+30	+9	+12
4	200	+4	+9	+32	+9	+12
5	225	+4	+9	+32	+12	+17
6	250	+4	+9	+35	+12	+17
7	260	+4	+9	+40	+12	+17

Krueger Product Weights

Low Profile Fan Powered Terminal Units						
KLPS	Unit Weights (lbs.)				Hot Water Coil	
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Electric Heat	1 Row	2 Row
1	80	N/A	+9	+25	+8	+10
2	85	N/A	+9	+30	+8	+10
3	90	+4	+9	+30	+10	+12
4	110	+4	+9	+35	+12	+14
5	120	+4	+9	+35	+12	+14

KLPP	Unit Weights (lbs.)				Hot Water Coil	
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Electric Heat	1 Row	2 Row
2	91	+4	+9	+25	+9	+12
4	106	+4	+9	+25	+9	+12

DOAS Fan Powered Terminal Units									
KLPS-D	Unit Weights (lbs.)				Hot Water Coil		Cooling Coil		
Size	Bare Box	w/pneumatic	w/ DDC or Analog	w/ Electric Heat	1 Row	2 Row	2 Row	4 Row	6 Row
1	80	+4	+9	+25	+8	+10	+20	+30	+40
2	85	+4	+9	+25	+8	+10	+20	+30	+40
3	90	+4	+9	+30	+10	+12	+25	+35	+45
5	120	+4	+9	+35	+12	+14	+30	+40	+50

Dual Duct Terminal Units			
LMHD	Unit Weights (lbs.)		
Size	Bare Box	w/pneumatic	w/ DDC or Analog
4,5,6	29	+8	+18
7,8	33	+8	+18
9,10	41	+8	+18
12	51	+8	+18
14	67	+8	+18
16	75	+8	+18
22	129	+8	+18

LMHDT	Unit Weights (lbs.)		
Size	Bare Box	w/pneumatic	w/ DDC or Analog
6	31	+8	+18
8	42	+8	+18
10	61	+8	+18
12	80	+8	+18
14	98	+8	+18
16	111	+8	+18

Krueger Product Weights

Retrofit Terminal Units			
RVE	Unit Weights (lbs.)		
Size	Bare Box	w/pneumatic	w/ DDC or Analog
4,5,6	12	+4	+9
7,8	14	+4	+9
9,10	19	+4	+9
12	24	+4	+9
14	32	+4	+9
16	36	+4	+9

Bypass Terminal Units		
KLB	Unit Weights (lbs.)	
Size	Bare Box	w/pneumatic or electric
6	19	+4
8	19	+4
10	21	+4
12	27	+4
14	27	+4
16	34	+4
18	34	+4