



**1400, 51400, 1400FR, M1400, M51400 Reference Charts**

**AIRFLOW VS. NC LEVEL: 1400 SERIES, 12"x12" & 300x300mm PANEL (NO DAMPER)**



**AIRFLOW VS. NC LEVEL: 1400 SERIES, 24"x24" & 600x600mm PANEL (NO DAMPER)**




LOUVERED FACE DIFFUSERS


1400-51400-1400FR-M1400-M51400

**1400, 51400, M1400, M51400 Reference Charts: Horizontal Throw**

**DIFFUSER SPACING FOR 80% ADPI: 1400 SERIES, 12"x12" & 300x300mm PANEL, 6" INLET, 4-WAY (NO DAMPER)**



**DIFFUSER SPACING FOR 80% ADPI: 1400 SERIES, 12"x12" & 300x300mm PANEL, 8" INLET, 4-WAY (NO DAMPER)**




NOTES: Charts are at 20 BTUH/ft<sup>2</sup> loads. See the Engineering section of this catalog for instructions on how to read these charts and additional ADPI information.


**1400, 51400, 1400FR, M1400, M51400 Reference Charts: Horizontal Throw**

DIFFUSER SPACING FOR 80% ADPI: 1400 SERIES, 24"x24" & 600x600mm PANEL, 8" INLET, 4-WAY (NO DAMPER)

LOUVERED FACE DIFFUSERS



DIFFUSER SPACING FOR 80% ADPI: 1400 SERIES, 24"x24" & 600x600mm PANEL, 14" INLET, 4-WAY (NO DAMPER)



NOTES: Charts are at 20 BTUH/ft<sup>2</sup> loads. See the Engineering section of this catalog for instructions on how to read these charts and additional ADPI information.

1  
4  
0  
0  
-  
5  
1  
4  
0  
0