


KHGH Dimensional Information


KHGH TOP AND SIDE VIEWS



NOTES: All dimensions are in inches (millimeters) and are +/- 1/8". See next page for specific unit dimensions, options and specifications. It is recommended to provide 3' access on pipe connection side. Provide access clearance for electrical enclosure per local and national electrical code requirements.

KHGH Dimensional Information

KHGH ISOMETRIC AND SIDE VIEWS



DIMENSIONAL REFERENCES


Unit Size	Fan Quantity	A	B	C	D	E
6	1	14" (356)	20" (508)	23 1/8" (587)	34" (864)	6 7/8" (175)
8	1	19" (483)	25" (635)	28 1/8" (714)	39" (991)	8 1/4" (210)
10	1	23" (584)	29" (737)	32 1/8" (816)	43" (1092)	8 1/4" (210)
12	2	28" (711)	34" (864)	37 1/8" (943)	48" (1219)	6 7/8" (175)
14	2	33" (838)	39" (991)	42 1/8" (1070)	53" (1346)	8 1/4" (210)
16	2	38" (965)	44" (1118)	47 1/8" (1197)	58" (1473)	8 1/4" (210)
18	2	43" (1092)	49" (1245)	52 1/8" (1324)	63" (1600)	8 1/4" (210)
20	2	47" (1194)	53" (1346)	56 1/8" (1426)	67" (1702)	8 1/4" (210)

NOTES: All dimensions are in inches (millimeters) and are +/- 1/8". Drain pan is field reversible 180° and externally insulated. Coil hand is field reversible (left hand unit shown).

* Optional auxiliary drip pan available for piping package condensate.

KHG Series Dimensional Information

KHG SERIES TELESCOPING / FILTER AND SOLID BOTTOM ACCESS PANELS



KHG SERIES TELESCOPING / FILTER AND SOLID BOTTOM ACCESS PANELS DIMENSIONAL REFERENCES

Unit Size	A	B	C	D	Recommended Ceiling Cutout
6	48" (1219)	45 7/8" (1164)	16" (408)	15 7/8" (404)	46 1/8" x 36 1/8" (1171 x 918)
8	53" (1346)	50 7/8" (1291)	20" (509)	19 7/8" (506)	51 1/8" x 36 1/8" (1298 x 918)
10	57" (1448)	54 7/8" (1392)	25" (636)	24 7/8" (633)	55 1/8" x 36 1/8" (1400 x 918)
12	62" (1575)	59 7/8" (1519)	32" (814)	31 7/8" (811)	60 1/8" x 36 1/8" (1527 x 918)
14	67" (1702)	64 7/8" (1646)	36" (916)	35 7/8" (912)	65 1/8" x 36 1/8" (1654 x 918)
16	72" (1829)	69 7/8" (1773)	40" (1017)	39 7/8" (1014)	70 1/8" x 36 1/8" (1781 x 918)
18	77" (1956)	74 7/8" (1900)	45" (1144)	44 7/8" (1141)	75 1/8" x 36 1/8" (1908 x 918)
20	81" (2057)	78 7/8" (2002)	50" (1271)	49 7/8" (1268)	79 1/8" x 36 1/8" (2009 x 918)

NOTES: All dimensions are in inches (millimeters) and are +/- 1/8". 1" TAW filter standard, 1" or 2" pleated filters are optional. Bottom panels are removable. Filter and grille sizes are the same for each unit size in the KHG product line.

* Total telescoping adjustment is 3 1/2" to 6 1/2".